INDEX TO VOLUME 48

AUTHORS INDEX

A

ADLERSBERG, DAVID. (*See* Boas, Elster, and Adlersberg), 485

AYALA Y DE LANDERO, CARLOS. A mathematical method to determine the magnitude of electrical axis, 894

B

BACKBIER, F. G. (*See* Burger, Tolhoek, and Backbier), 249

BAKER, CHARLES R. (*See* Sobin, Carson, Johnson, and Baker), 416

BATTERMAN, ROBERT C. The comparative diuretic effectiveness of mercumatilin and meralluride with and without concomitant administration of ammonium chloride, 780

BEAMISH, R. E., PERRY, W. F., AND STORRIE, V. MARIE. Observations on thyroid function in hypertensive patients treated with potassium thiocyanate, 433

BEATTY, DAVID C. (*See* Yu, Lovejoy, Joos, Nye, and Beatty), 544

BERGLUND, ERIK. (*See* Isaacs, Berglund, and Sarnoff), 66

BERNSTEIN, LIONEL M., PASCALE, LUKE R., SCHOOLMAN, HAROLD M., AND FOLEY, EDMUND F. Intravenous procaine amide as an aid to differentiate auricular flutter with bundle branch block from paroxysmal ventricular tachycarda, 82

——. (*See* Pascale, Bernstein, Schoolman, and Foley), 110

BJÖRK, VIKING OLOV, BLAKEMORE, WILLIAM S., AND MALMSTRÖM, GUNNAR. Left ventricular pressure measurement in man, 197

——, MALMSTRÖM, GUNNAR, AND UGGLA, LARS-GUSTAF. Comparison of the oxygen tension in blood from the left atrium and a systemic artery, 8

BLACK, MARTIN M., AND LYONS, RICHARD H. Prolonged depression of atrioventricular conduction caused by large dosages of protoveratrine, 266

BLAKEMORE, WILLIAM S. (*See* Björk, Blakemore, and Malmström), 197

BLICKMAN, J. R. (*See* Durrer, van der Tweel, and Blickman), 13

BLOUNT, S. GILBERT, JR. (*See* Denst, Edwards, Neubuerger, and Blount), 506

——. (*See* McCord, Swan, and Blount, Jr.), 405

BLUMENFELD, SERGE. (*See* Scherf, Blumenfeld, Golbey, Ladopoulos, and Roth), 573

BOAS, ERNST P., ELSTER, SAMUEL K., AND ADLERSBERG, DAVID. Calcific aortic stenosis: study of serum cholesterol, 485

BOHL, ROBERT W. (*See* Goulder, Kissane, and Bohl), 906

BORDUAS, JEAN LOUIS. (*See* Rakita, Borduas, Rothman, and Prinzmetal), 351

BRANDFONBRENER, MARTIN, AND EISENBERG, HENRY. The aortic electrokymogram in normal subjects and patients with syphilitic aortic insufficiency, 54

BRAUNSTEIN, JOHN. (*See* Simon, Iglauer, and Braunstein), 185

BRIGGS, GORDON W., CARLSON, HAROLD A., AND HOUSEWORTH, JOHN H. Superior vena cava obstruction with complete obstruction of the right main pulmonary artery, 288

BRODY, DANIEL A., MCKAY, B. P., AND ROMANS, WILLIAM E. The axostat, 589

——. (*See* Little, Brody, and Tacket), 721

——. The meaning of lead vectors and the Burger triangle, 730

BROTMACHER, LEON. The association of the Wenckebach phenomenon with auricular flutter, 629

BROWN, ALBERT F. (*See* Sprengel and Brown), 796

BUCHT, HÄRJE. (*See* Ek, Bucht, and Werkö), 102

BURACK, BERNARD. (*See* Grossman, Kantrowitz, Burack, and Haimovici), 471

BURCH, G. E., AND RAY, C. T. Mechanism of the hepatojugular reflux test in congestive heart failure, 373

BURGER, H. C., TOLHOEK, H. A., BACKBIER, F. G. The potential distribution on the body surface caused by a heart vector, 249

C

CABAUD, PHILIP G. (*See* Dorney and Cabaud), 459

CARLSON, HAROLD A. (*See* Briggs, Carlson, and Houseworth), 288

CARR, HENRY A. (*See* Stewart and Carr), 293

CARSON, MERL J. (*See* Sobin, Carson, Johnson, and Baker), 416

CHESTERMAN, JUDSON T., AND WHITAKER, WILLIAM. Mitral and tricuspid valvotomy for mitral and tricuspid stenosis, 631

COHEN, NATHANIEL. (*See* Douglas and Cohen), 340

COHEN, SAMUEL L. (*See* Levin and Cohen), 637

COLBECK, J. C., AND SHAW, J. M. Coronary aneurysm with arteriovenous fistula, 270

CRAIG, ROBERT L., AND LEARNED, BERYLE B. Patterns of the anterior descending branch of the left coronary artery in the dog, 455
CRUMPTON, CHARLES W. (*See* Tuchman, Sletten, and Crumpton), 449
CUBBERLY, ROBERT. (*See* Fowler, Cubberly, and Dorney), 1

D

DEMPSEY, MARY E. (*See* Wilson, Hoseth, Sadoff, and Dempsey), 671
DENST, JOHN, EDWARDS, ALFRED, NEUBUERGER, KARL T., AND BLOUNT, S. GILBERT, JR. Biopsies of the lung and atrial appendages in mitral stenosis: correlation of data from cardiac catheterization with pulmonary vascular lesions, 506
DICKES, ROBERT. (*See* Edson, Flamm, Dickes, Tobin, and Loeb), 897
DONOSO, EFRAIM. (*See* Kuhn, Donoso, and Sapin), 280
DONTAS, A. S. (*See* VanderKolk, Dontas, and Hoobler), 95
DORNEY, EDWARD. (*See* Fowler, Cubberly, and Dorney), 1
DORNEY, EDWARD R., AND CABAUD, PHILIP G. Massive left atrial thrombosis and recurring pleural effusion, 459
——. (*See* Fowler and Dorney), 36
DOUGLAS, ALBERT H., AND COHEN, NATHANIEL. The vector and algebraic relationship of the CF and V chest leads, 340
DURRER, D., VAN DER TWEEL, L. H., AND BLICKMAN, J. R. Spread of activation in the left ventricular wall of the dog. III, 13

E

EDEIKEN, JOSEPH. Elevation of the RS-T segment, apparent or real, in the right precordial leads as a probable normal variant, 331
EDSON, JOHN N., FLAMM, GERALD H., DICKES, ROBERT, TOBIN, MICHAEL, AND LOEB, LAURENCE. Thoracic ballistocardiography, 897
EDWARDS, ALFRED. (*See* Denst, Edwards, Neubuerger, and Blount), 506
EISENBERG, HENRY. (*See* Brandfonbrener and Eisenberg), 54
EK, JAN, BUCHT, HÄRJE, AND WERKÖ, LARS. The influence of a rapid infusion of glucose on renal dynamics and sodium excretion in patients with arterial hypertension, 102
ELLIS, RICHARD M. (*See* Rushmer, Tidwell, and Ellis), 835
ELSTER, SAMUEL K. (*See* Boas, Elster, and Adlersberg), 485
EPSTEIN, FREDERICK H. (*See* Hyman and Epstein), 540

F

FLAMM, GERALD. (*See* Edson, Flamm, Dickes, Tobin, and Loeb), 897
FOLEY, EDMUND F. (*See* Bernstein, Pascale, Schoolman, and Foley), 82
——. (*See* Pascale, Bernstein, Schoolman, and Foley), 110
FORD, RALPH V., LIVESAY, W. R., SPURR, CHARLES, AND MOYER, JOHN H. Treatment of hypertensive emergencies: use of Veriloid-in-Oil intramuscularly, 123
FOWLER, NOBLE O., AND DORNEY, EDWARD R. Studies of the P loop of the spatial vectorcardiogram: the normal P loop, 36
——, CUBBERLY, ROBERT, AND DORNEY, EDWARD. Pulmonary blood distribution and oxygen diffusion in mitral stenosis, 1
FOX, HENRY M., RIZZO, NICHOLAS D., AND GIFFORD, SANFORD. Psychological observations of patients undergoing mitral surgery, 645
FRANK, ERNEST. An equivalent circuit for the human heart-body electrical system, 738
FRIEND, DALE G., O'HARE, JAMES P., AND LEVINE, HAROLD D. Action of triethanolamine trinitrate in angina pectoris, 775
FUMAGALLI, BRUNO. Unipolar value of standard limb leads: Lead −VR and rational arrangement of limb leads, 204

G

GAMNA, GIORGIO. (*See* Luisada and Gamna), 826
GECKELER, GEORGE D., LIKOFF, WILLIAM, MASON, DANIEL, RIESZ, R. R., AND WIRTH, CHARLES H. Cardiospectrograms, 189
GIFFORD, SANFORD. (*See* Fox, Rizzo, and Gifford), 645
GOETZ, A. A., AND GROPPER, A. N. Perforation of the interventricular septum, 130
GOLBEY, MAURICE. (*See* Scherf, Blumenfeld, Golbey, Ladopoulos, and Roth), 573
GOODALE, WALTER T. (*See* Rudolph, Nadas, and Goodale), 808
GOULDER, NORMAN E., KISSANE, R. W., AND BOHL, ROBERT W. Provocative aspects of lipotropic therapy in angina pectoris, 906
GROPPER, A. N. (*See* Goetz and Gropper), 130
GROSS, DESIDERIO. Quantitative estimation of ventricular strain in the limb leads, 881
GROSSMAN, JACOB, KANTROWITZ, ADRIAN, BURACK, BERNARD, AND HAIMOVICI, HENRY. Mitral commissurotomy followed by late arterial embolism, 471

H

HAIMOVICI, HENRY (*See* Grossman, Kantrowitz, Burack, and Haimovici), 471
HALLINGER, LEONARD N. (*See* Schwartz and Hallinger), 390

HANDLEY, CARROLL A. (*See* Moyer and Handley), 173
HEFFER, E. T. (*See* Kroop, Heffer, and Shackman), 612
HEFFER, ERNEST T. (*See* Shackman, Heffer, and Kroop), 599
HEJTMANCIK, MILTON R. (*See* Stembridge, Hejtmancik, and Herrmann), 163
HELM, ROBERT A. The direction of mean QRS and T vectors, 224
HERRMANN, GEORGE R. (*See* Stembridge, Hejtmancik, and Herrmann), 163
HOFFMAN, IRWIN. (*See* Schwarzschild, Hoffman, and Kissin), 235
HOOBLER, S. W. (*See* VanderKolk, Dontas, and Hoobler), 95
HOSETH, WAYNE. (*See* Wilson, Hoseth, Sadoff and Dempsey), 671
HOUSEWORTH, JOHN H. (*See* Briggs, Carlson, and Houseworth), 288
HOWELL, MILTON. (*See* London and Howell), 152
HUNZICKER, WARREN J. (*See* Mitchell, Sackett, Hunzicker, and Levine), 684
HYMAN, JULIAN B., AND EPSTEIN, FREDERICK H. A study of the correlation between roentgenographic and postmortem calcification of the aorta, 540

I

IGLAUER, ARNOLD. (*See* Simon, Iglauer, and Braunstein), 185
——. (*See* Simon, Iglauer, and Scott), 624
IPPOLITO, THOMAS L., BLIER, JULIUS S., AND FOX, THEODORE T. Massive T-wave inversion, 88
ISAACS, JAMES P., BERGLUND, ERIK, AND SARNOFF, STANLEY J. Ventricular function, 66

J

JOHNSON, JOHN L. (*See* Sobin, Carson, Johnson, and Baker), 416
JOOS, HOWARD A. (*See* Yu, Lovejoy, Joos, Nye, and Beatty), 544

K

KANTROWITZ, ADRIAN. (*See* Grossman, Kantrowitz, Burack, and Haimovici), 471
KEYS, ANCEL. (*See* Taylor, Maloney, and Keys), 864
KING, T. SUMMERFIELD. The sinuatrial node in the rat, 785
KISSANE, R. W. (*See* Goulder, Kissane, and Bohl), 906
KISSIN, MILTON. (*See* Schwarzschild, Hoffman, and Kissin), 235
KORST, DONALD R., AND WASSERBURGER, RICHARD H. Auricular flutter associated with complete heart block, 383
KRAPIN, DAVID. Cure of enterococcal endocarditis of prolonged duration, 792
KROOP, IRVING G., HEFFER, E. T., AND SHACKMAN, N. H. An evaluation of electrophoresis in rheumatic fever, 612
——. (*See* Shackman, Heffer, and Kroop), 599
KUHN, LESLIE A., DONOSO, EFRAIM, AND SAPIN, SAMUEL O. Auricular tachycardia with Wenckebach phenomenon occurring during the course of cardiac catheterization, 280
KYLLÖNEN, K. E. J. (*See* Peräsalo and Kyllönen), 465

L

LADOPOULOS, CONSTANTINE. (*See* Scherf, Blumenfeld, Golbey, Ladopoulos, and Roth), 573
LASSER, RICHARD P., AND LOEWE, LEO. Cardiac and pulmonary artery pressure pulses in experimental mitral stenosis, 801
LEARNED, BERYLE B. (*See* Craig and Learned), 455
LEVIN, EUGENE B., AND COHEN, SAMUEL L. Idiopathic myocardial hypertrophy simulating rheumatic heart disease, 637
LEVINE, HAROLD D. (*See* Friend, O'Hare, and Levine), 775
LEVINE, SAMUEL A. (*See* Mitchell, Sackett, Hunzicker, and Levine), 684
LIKOFF, WILLIAM. (*See* Geckeler, Likoff, Mason, Riesz and Wirth), 189
LITTLE, ROBERT C., BRODY, DANIEL A., AND TACKET, HALL S. The axostat, 721
LIU, S. F. (*See* Simon and Liu), 497
LIVESAY, W. R. (*See* Ford, Livesay, Spurr, and Moyer), 123
——. (*See* Moyer, Livesay, and Seibert), 817
LOEB, LAURENCE. (*See* Edson, Flamm, Dickes, Tobin and Loeb), 897
LOEWE, LEO. (*See* Lasser and Loewe), 801
LONDON, FRANK, AND HOWELL, MILTON. Atrial flutter: 1 to 1 conduction during treatment with quinidine and digitalis, 152
LOVEJOY, F. W., Jr. (*See* Yu, Lovejoy, Joos, Nye, and Beatty), 544
LUISADA, ALDO A., AND GAMNA, GIORGIO. Clinical calibration in phonocardiography, 826
LYONS, RICHARD H. (*See* Black and Lyons). 266

M

MCCORD, MALCOLM C., SWAN, HENRY, AND BLOUNT, S. GILBERT, JR. Tricuspid stenosis: clinical and physiologic evaluation, 405
MCKAY, B. P. (*See* Brody, McKay, and Romans), 589
MALMSTRÖM, GUNNAR. (*See* Björk, Blakemore, and Malmström), 197
——. (*See* Björk, Malmström, and Uggla), 8
MALONEY, WILLIAM F. (*See* Taylor, Maloney, and Keys), 864
MASON, DANIEL. (*See* Geckeler, Likoff, Mason, Riesz, and Wirth), 189
MATTINGLY, THOMAS W. (*See* Sayer, Moser, and Mattingly), 42

MAXWELL, G. M., AND YOUNG, W. P. Isolated mitral stenosis in an infant of three months: report of a case treated surgically, 787
MITCHELL, AVARD M., SACKETT, CHARLES H., HUNZICKER, WARREN J., AND LEVINE, SAMUEL A. The clinical features of aortic stenosis, 684
MITCHELL, JERE H., AND SHAPIRO, ALVIN P. The relationship of Adrenalin and T-wave changes in the anxiety state, 323
MOSER, MARVIN. (*See* Sayer, Moser, and Mattingly), 42
MOSES, CAMPBELL. The effect of phosphorylated hesperidin on experimental atherosclerosis, 264
MOYER, JOHN H., AND HANDLEY, CARROLL A. Blood pressure and renal hemodynamic responses to Aramine and the alterations of these responses by adrenergic blockade with Dibenzyline, 173
——, LIVESAY, W. R., AND SEIBERT, RICHARD A. The effect of blood pressure reduction with Arfonad on renal hemodynamics and excretion of water and electrolytes, 817
——. (*See* Ford, Livesay, Spurr, and Moyer), 123

N

NADAS, ALEXANDER S. (*See* Rudolph, Nadas, and Goodale), 808
NEUBUERGER, KARL T. (*See* Denst, Edwards, Neubuerger, and Blount), 506
NYE, ROBERT E., JR. (*See* Yu, Lovejoy, Joos, Nye, and Beatty), 544

O

O'HARE, JAMES P. (*See* Friend, O'Hare, and Levine), 775
OSTRICH, RALPH. (*See* Smith, Rosenbaum, and Ostrich), 847

P

PASCALE, LUKE R., BERNSTEIN, LIONEL M., SCHOOLMAN, HAROLD M., AND FOLEY, EDMUND F. Intravenous procaine amide in the treatment of cardiac arrhythmias, 110
——. (*See* Bernstein, Pascale, Schoolman, and Foley), 82
PERÄSALO, O., AND KYLLÖNEN, K. E. J. A congenital subclavian arteriovenous fistula and a truncus brachiocephalicus totalis in the same patient, 465
PERRY, W. F. (*See* Beamish, Perry, and Storrie), 433
PLATTS, MARGARET M., AND WHITAKER, WILLIAM. The diagnostic importance of the blood carbon dioxide content of patients with central cyanosis, 77
PRINZMETAL, MYRON. (*See* Rakita, Borduas, Rothman, and Prinzmetal), 351

R

RAKITA, LOUIS, BORDUAS, JEAN LOUIS, ROTHMAN, SOL, AND PRINZMETAL, MYRON. Studies on the mechanism of ventricular activity. XII. Early changes in the RS-T segment and QRS complex following acute coronary artery occlusion: experimental study and clinical applications, 351
RAY, C. T. (*See* Burch and Ray), 373
RICHMOND, GLENN H. (*See* Walker and Richmond), 275
RIESZ, R. R. (*See* Geckeler, Likoff, Mason, Riesz, and Wirth), 189
RIZZO, NICHOLAS D. (*See* Fox, Rizzo, and Gifford), 645
RODBARD, S., AND WILLIAMS, F. The dynamics of mitral insufficiency, 521
ROMANS, WILLIAM E. (*See* Brody, McKay, and Romans), 589
ROSENBAUM, ROBERT. (*See* Smith, Rosenbaum, and Ostrich), 847
ROTH, FRITZ. (*See* Scherf, Blumenfeld, Golbey, Ladopoulos, and Roth), 573
ROTHE, CARL F., AND SAPIRSTEIN, LEO A. A rapid blood sample collector for use in the determination of cardiac output, 141
ROTHMAN, SOL. (*See* Rakita, Borduas, Rothman, and Prinzmetal), 351
RUDOLPH, ABRAHAM M., NADAS, ALEXANDER S., AND GOODALE, WALTER T. Intracardiac left-to-right shunt with pulmonic stenosis, 808
RUSHMER, ROBERT F., TIDWELL, ROBERT A., AND ELLIS, RICHARD M. Sonvelographic recording of murmurs during acute myocarditis, 835

S

SACKETT, CHARLES H. (*See* Mitchell, Sackett, Hunzicker, and Levine), 684
SADOFF, CHARLES. (*See* Wilson, Hoseth, Sadoff, and Dempsey), 671
SAPIN, SAMUEL O. (*See* Kuhn, Donoso, and Sapin), 280
SAPIRSTEIN, LEO A. (*See* Rothe and Sapirstein), 141
SARNOFF, STANLEY J. (*See* Isaacs, Berglund, and Sarnoff), 66
SAYER, WILLIAM J., MOSER, MARVIN, AND MATTINGLY, THOMAS W. Pheochromocytoma and the abnormal electrocardiogram, 42
SCHACK, JEROME A. (*See* Tannenbaum, Vesell, and Schack), 562
SCHERF, DAVID, BLUMENFELD, SERGE, GOLBEY, MAURICE, LADOPOULOS, CONSTANTINE, AND ROTH, FRITZ. Experimental ectopic cardiac rhythms, 573
SCHMOCK, C. L. (*See* Schumacher and Schmock), 933
SCHOOLMAN, HAROLD M. (*See* Bernstein, Pascale, Schoolman, and Foley), 82
——. (*See* Pascale, Bernstein, Schoolman, and Foley), 110

SCHUMACHER, E. E., Jr., AND SCHMOCK, C. L. The control of certain cardiac arrhythmias with isopropylnorepinephrine, 933
SCHWARTZ, SIDNEY P., AND HALLINGER, LEONARD N. Transient ventricular fibrillation, 390
SCHWARZSCHILD, MYRON M., HOFFMAN, IRWIN, AND KISSIN, MILTON. Errors in unipolar limb leads caused by unbalanced skin resistances, and a device for their elimination, 235
SCOTT, RALPH C. (*See* Simon, Iglauer, and Scott), 624
SEIBERT, RICHARD A. (*See* Moyer, Livesay, and Seibert), 817
SEKELJ, PAUL. Further studies on oximetry, 746
SHACKMAN, N. H. (*See* Kroop, Heffer, and Shackman), 612
SHACKMAN, NATHAN H., HEFFER, ERNEST T., AND KROOP, IRVING G. The C-reactive protein determination as a measure of rheumatic activity, 599
SHAPIRO, ALVIN P. (*See* Mitchell and Shapiro), 323
SHAW, J. M. (*See* Colbeck and Shaw), 270
SILVERMAN, JACOB J. (*See* Talbot and Silverman), 146
SIMON, DAVID L., IGLAUER, ARNOLD, AND BRAUNSTEIN, JOHN. The immediate effect of cigarettes on the circulation of healthy and habitual male smokers, 185
——, ——, AND SCOTT, RALPH C. Studies on the use of ethaverine in the treatment of angina pectoris, 624
SIMON, M. A., AND LIU, S. F. Calcification of the mitral valve annulus and its relation to functional valvular disturbance, 497
SLETTEN, IVAN W. (*See* Tuchman, Sletten, and Crumpton), 449
SMITH, J. E., ROSENBAUM, ROBERT, AND OSTRICH, RALPH. Studies with the displacement, velocity, and acceleration ballistocardiograph in aortic insufficiency, 847
SOBIN, SIDNEY S., CARSON, MERL J., JOHNSON, JOHN L., AND BAKER, CHARLES R. Pulmonary valvular stenosis with intact ventricular septum: isolated valvular stenosis and valvular stenosis associated with interatrial shunt, 416
SPRENGEL, REUBEN A., AND BROWN, ALBERT F. Aortic septum defect, 796
SPURR, CHARLES. (*See* Ford, Livesay, Spurr, and Moyer), 123
STEMBRIDGE, VERNIE A., HEJTMANCIK, MILTON R., AND HERRMANN, GEORGE R. Unusual musical murmurs of anterior cusp aortic regurgitation, 163
STEWART, HAROLD J., AND CARR, HENRY A. The anoxemia test, 293
STORRIE, V. MARIE. (*See* Beamish, Perry, and Storrie), 433
SWAN, HENRY. (*See* McCord, Swan, and Blount), 405

T

TACKET, HALL S. (*See* Little, Brody, and Tacket), 721
TALBOT, THEODORE J., AND SILVERMAN, JACOB J. Pulmonary artery enlargement simulating a neoplasm of the lung, 146
TANNENBAUM, OSCAR, VESELL, HARRY, AND SCHACK, JEROME A. The spatial vectorballistocardiogram, 562
TAYLOR, HENRY LONGSTREET, MALONEY, WILLIAM F., AND KEYS, ANCEL. Factors affecting the low-frequency, critically-damped ballistocardiogram, with special reference to age, body size, and body composition, 864
TIDWELL, ROBERT A. (*See* Rushmer, Tidwell, and Ellis), 835
TOBIN, MICHAEL. (*See* Edson, Flamm, Dickes, Tobin, and Loeb), 897
TOLHOEK, H. A. (*See* Burger, Tolhoek, and Backbier), 249
TUCHMAN, HERMAN, SLETTEN, IVAN W., AND CRUMPTON, CHARLES W. A clinical study of the effects of intravenous reserpine (Serpasil) in hypertensive patients, 449

U

UGGLA, LARS-GUSTAF. (*See* Björk, Malmström, and Uggla), 8

V

VAKIL, RUSTOM JAL. Accelerated auriculoventricular nodal conduction as a transitory phenomenon in a nervous patient, 157
——. Heart disease in India, 439
VAN DER TWEEL, L. H. (*See* Durrer, van der Tweel, and Blickman), 13
VANDERKOLK, KENNETH, DONTAS, A. S., AND HOOBLER, S. W. Renal and hypotensive effects of acute and chronic oral treatment with 1-Hydrazinophthalazine (Apresoline) in hypertension, 95
VESELL, HARRY. (*See* Tannenbaum, Vesell, and Schack), 562

W

WALKER, WELDON J., AND RICHMOND, GLENN H. Posterior ventricular aneurysm in patients with dextrocardia and situs inversus, 275
WASSERBURGER, RICHARD H. (*See* Korst and Wasserburger), 383
WELLS, P. V. Flarimeter tests on athletes, 914
WERKÖ, LARS. (*See* Ek, Bucht, and Werkö), 102
WHITAKER, WILLIAM. (*See* Chesterman and Whitaker), 631
——. (*See* Platts and Whitaker), 77
WILLIAMS, F. (*See* Rodbard and Williams), 521

WILSON, RUSSELL H., HOSETH, WAYNE, SADOFF, CHARLES, AND DEMPSEY, MARY E. Pathologic physiology and diagnostic significance of the pressure pulse tracings in the heart in patients with constrictive pericarditis and pericardial effusion, 671

WIRTH, CHARLES H. (*See* Geckeler, Likoff, Mason, Riesz, and Wirth), 189

WREN, ESME M. The portal venous pressure in organic heart disease, 929

Y

YOUNG, W. P. (*See* Maxwell and Young), 787

YU, PAUL N., LOVEJOY, F. W., JR., JOOS, HOWARD A., NYE, ROBERT E., JR., and BEATTY, DAVID C. Studies of pulmonary hypertension. V, 544

Z

ZUIDEMA, P. J. Dissociation with double interference, 475

SUBJECT INDEX

A

Abdomen, effect of pressure over hepatic region of, upon venous pressure (Burch and Ray), 376
Acceleration, displacement, velocity, and, ballistocardiograph, studies with, in aortic insufficiency (Smith et al.), 847
Activation, spread of in left ventricular wall of dog. III (Durrer et al.), 13
Adrenalin and T-wave changes, relationship of, in anxiety state (Mitchell and Shapiro), 323
Adrenergic blockade with Dibenzyline, blood pressure and renal hemodynamic responses to Aramine and alterations of these responses by (Moyer and Handley), 173
Age, body size, and body composition, factors affecting low - frequency, critically-damped ballistocardiogram, with special reference to (Taylor et al.), 864
Algebraic, vector and relationship of CF and V chest leads (Douglas and Cohen), 340
Ammonium chloride, comparative diuretic effectiveness of mercumatilin and meralluride with and without concomitant administration of (Batterman), 780
Aneurysm, coronary, with arteriovenous fistula (Colbeck and Shaw), 270
  ventricular, posterior, in patient with dextrocardia and situs inversus (Walker and Richmond), 275
Angina pectoris, action of triethanolamine trinitrate in (Friend et al.), 775
  provocative aspects of lipotrophic therapy in (Goulder et al.), 906
  studies on use of ethaverine in treatment of (Simon et al.), 624
Anginal pain, relation between electrocardiographic changes during anoxemia test and (Stewart and Carr), 306
Announcements, 322, 484, 644, 800
Annulus, mitral valve, calcification of, and its relation to functional valvular disturbance (Simon and Liu), 497
Anoxemia test (Stewart and Carr), 293
  and anginal pain, relation between electrocardiographic changes during (Stewart and Carr), 306
  autopsy reports in patients who have had (Stewart and Carr), 313
  changes in Q-T interval during (Stewart and Carr), 301
  electrocardiographic changes occurring during, in patients with heart disease and in patients with diseases other than coronary artery disease (Stewart and Carr), 304
  physiologic observations during, and recent observations (Stewart and Carr), 303
Anoxemia test (Stewart and Carr)—Cont'd
  precautions to be followed in carrying out (Stewart and Carr), 299
  techniques other than Levy's for (Stewart and Carr), 300
  use of, in evaluation of effects of drugs (Stewart and Carr), 315
  value of, as guide to prognosis in coronary artery disease (Stewart and Carr), 312
  for diagnosis of coronary artery disease (Stewart and Carr), 307
tests, arterial oxygen saturation prevailing during (Stewart and Carr), 302
  untoward reactions, accidents, and deaths during (Stewart and Carr), 299
Anoxia, normal and abnormal changes in electrocardiogram with (Stewart and Carr), 296
Anterior cusp aortic regurgitation, unusual musical murmurs of (Stembridge et al.), 163
Anxiety state, relationship of Adrenalin and T-wave changes in (Mitchell and Shapiro), 323
Aorta, study of correlation between roentgenographic and post-mortem calcification of (Hyman and Epstein), 540
Aortic electrokymogram in normal subjects and patients with syphilitic aortic insufficiency (Brandfonbrener and Eisenberg), 54
  insufficiency, analysis of ten cases of (Smith et al.), 854
  studies with displacement, velocity, and acceleration ballistocardiograph in (Smith et al.), 847
  regurgitation, anterior cusp, unusual musical murmurs of (Stembridge et al.), 163
  septum defect (Sprengel and Brown), 796
  stenosis, calcific: study of serum cholesterol (Boas et al.), 485
  classification of lesions (Mitchell et al.), 686
  clinical features of (Mitchell et al.), 684
  complications and sequelae of (Mitchell et al.), 692
  criteria for diagnosis of (Boas et al.), 486
  electrocardiographic findings (Mitchell et al.), 699
  etiology (Mitchell et al.), 687
  life expectancy (Mitchell et al.), 689
  past history of rheumatic fever (Mitchell et al.), 688
  physical findings (Mitchell et al.), 702
  sex distribution (Mitchell et al.), 689
Aramine, blood pressure and renal hemodynamic responses to, and alterations of responses by adrenergic blockade with Dibenzyline (Moyer and Handley), 173

Arfonad, effect of blood pressure reduction with, on renal hemodynamics and excretion of water and electrolytes (Moyer et al.), 817
on water and electrolyte excretion (Table II) (Moyer et al.), 821
of norepinephrine on water and electrolyte excretion in patients previously made hypotensive with (Table IV) (Moyer et al.), 823
renal hemodynamic response to norepinephrine when blood pressure was previously reduced with (Table III) (Moyer et al.), 822
Arrhythmias, cardiac, certain, control of, with isopropylnorepinephrine (Schumacher and Schmock), 933
intravenous procaine amide in treatment of (Pascale et al.), 110
Arterial embolism, late mitral commissurotomy followed by (Grossman et al.), 471
hypertension, influence of rapid infusion of glucose on renal dynamics and sodium excretion in patients with (Ek et al.), 102
Arteriovenous fistula, coronary aneurysm with (Colbeck and Shaw), 270
subclavian, congenital, and truncus brachiocephalicus totalis in same patient (Perasälo and Kyllönen), 465
Artery, cardiac and pulmonary, pressure pulses in experimental mitral stenosis (Lasser and Loewe), 801
coronary, left, in dog, patterns of anterior descending branch of (Craig and Learned), 455
pulmonary, enlargement simulating neoplasm of lung (Talbot and Silverman), 146
right main, superior vena cava obstruction with complete obstruction of (Briggs et al.), 288
systemic, comparison of oxygen tension in blood from left atrium and (Björk et al.), 8
Atherosclerosis, experimental, effect of phosphorylated hesperidin on (Moses), 264
Athletes, flarimeter tests on (Wells), 914
Atrial appendages, biopsies of lung and, in mitral stenosis: correlation of data from cardiac catheterization with pulmonary vascular lesions (Denst et al.), 506
flutter: 1 to 1 conduction during treatment with quinidine and digitalis (London and Howell), 152
thrombosis, left, massive, and recurring pleural effusion (Dorney and Cabaud), 459
Atrioventricular conduction, prolonged depression of, caused by large dosages of protoveratrine (Black and Lyons), 266
Atrium, left, and systemic artery, comparison of oxygen tension in blood from (Björk et al.), 8
Auricular flutter associated with complete heart block (Korst and Wasserburger), 383
association of Wenckebach phenomenon with (Brotmacher), 629
effect of intravenously administered procaine amide on (Table II) (Pascale et al.), 114
with bundle branch block, intravenous procaine amide as aid to differentiate, from paroxysmal ventricular tachycardia (Bernstein et al.), 82
tachycardia with Wenckebach phenomenon occurring during course of cardiac catheterization (Kuhn et al.), 280
Auriculoventricular dissociation, established, observations on peripheral arterial pulse pressures in course of transient ventricular fibrillation during (VI); transient ventricular fibrillation (Schwartz and Hallinger), 390
nodal conduction, accelerated, as transitory phenomenon in nervous patient (Vakil), 157
Axis, electrical, mathematical method to determine magnitude of (Ayala y de Landero), 894
Axostat I (Brody et al.), 589
Axostat II (Little et al.), 721

B

Ballistocardiogram, critically-damped, low-frequency, factors affecting, with special reference to age, body size, and body composition (Taylor et al.), 864
Ballistocardiograph, displacement, velocity, and acceleration, studies with, in aortic insufficiency (Smith et al.), 847
standards, normal, for 50 normal adults between 20 and 40 years of age (Smith et al.), 849
Ballistocardiographic measurements, effects of age on (Table IV) (Taylor et al.), 870
Ballistocardiography, thoracic (Edson et al.), 897
Biopsies of lung and atrial appendages in mitral stenosis: correlation of data from cardiac catheterization with pulmonary vascular lesions (Denst et al.), 506
Blood carbon dioxide content of patients with central cyanosis, diagnostic importance of (Platts and Whitaker), 77
from left atrium and systemic artery, comparison of oxygen tension in (Björk et al.), 8
pressure and clinical response to intramuscular Veriloid-in-Oil (Table I) (Ford et al.), 124
and renal hemodynamic responses to Aramine and alterations of responses by adrenergic blockade with Dibenzyline (Moyer and Handley), 173

Blood, pressure—Cont'd
reduction (with Arfonad), effect of, on glomerular filtration rate and renal plasma flow (Table IB) (Moyer et al.), 820
on renal hemodynamics and excretion of water and electrolytes (Moyer et al.), 817
on water and electrolyte excretion (Table II) (Moyer et al.), 821
response of patients receiving reserpine (Serpasil) and sodium amytal test (Tuchman et al.), 450
pulmonary, distribution and oxygen diffusion in mitral stenosis (Fowler et al.), 1
sample collector, rapid, for use in determination of cardiac output (Rothe and Sapirstein), 141
Body composition, factors affecting low-frequency, critically-damped ballistocardiogram, with special reference to age, body size and (Taylor et al.), 864
Book reviews, 162, 482, 641, 799
Bundle branch block, intravenous procaine amide as aid to differentiate auricular flutter with, from paroxysmal ventricular tachycardia (Bernstein et al.), 82
Burger triangle, meaning of lead vectors and (Brody), 730

C

Calcification of mitral valve annulus and its relation to functional valvular disturbance (Simon and Liu), 497
roentgenographic and post-mortem, of aorta, study of correlation between (Hyman and Epstein), 540
Carbon dioxide, blood, content of patients with central cyanosis, diagnostic importance of (Platts and Whitaker), 77
Cardiac and pulmonary artery pressure pulses in experimental mitral stenosis (Lasser and Loewe), 801
arrhythmias, certain, control of, with isopropylnorepinephrine (Schumacher and Schmock), 933
intravenous procaine amide in treatment of (Pascale et al.), 110
catheterization, auricular tachycardia with Wenckebach phenomenon occurring during course of (Kuhn et al.), 280
correlation of data from, with pulmonary vascular lesions; biopsies of lung and atrial appendages in mitral stenosis (Denst et al.), 506
output, rapid blood sample collector for use in determination of (Rothe and Sapirstein), 141
resuscitation, manual on, 162 (B. Rev.)
rhythms, ectopic, experimental (Scherf et al.), 573
tamponade, acute, pathologic physiology of, studied by means of ventricular function curves (III); ventricular function curves (Isaacs et al.), 66
Cardiospectrograms (Geckeler et al.), 189
Catheterization, cardiac, auricular tachycardia with Wenckebach phenomenon occurring during course of (Kuhn et al.), 280
correlation of data from, with pulmonary vascular lesions; biopsies of lung and atrial appendages in mitral stenosis (Denst et al.), 506
results of (Table I) (Chesterman and and Whitaker), 632
right heart, data from 10 patients with constrictive pericarditis and 3 patients with pericardial effusion (Table I) (Wilson et al.), 672
Chest leads, CF and V, vector and algebraic relationship of (Douglas and Cohen), 340
Cholesterol, serum, study of; calcific aortic stenosis (Boas et al.), 485
CF and V chest leads, vector and algebraic relationship of (Douglas and Cohen), 340
Cigarettes, immediate effect of, on circulation of healthy and habitual male smokers (Simon et al.), 185
low nicotine (filtered) and regular, statistical comparison of changes in skin temperature produced by smoking (Table I) (Simon et al.), 187
Circuit, equivalent, for human heart-body electrical system (Frank), 738
Circulation of healthy and habitual male smokers, immediate effect of cigarettes on (Simon et al.), 185
Collector, blood sample, rapid, for use in determination of cardiac output (Rothe and Sapirstein), 141
Commissurotomy, mitral, followed by late arterial embolism (Grossman et al.), 471
Conduction, atrioventricular, prolonged depression of, caused by large dosages of protoveratrine (Black and Lyons), 266
1 to 1, during treatment with quinidine and digitalis: atrial flutter (London and Howell), 152
nodal, auriculoventricular, accelerated, as transitory phenomenon in nervous patient (Vakil), 157
Congestive heart failure, mechanism of hepatojugular reflux test in (Burch and Ray), 373
Coronary aneurysm with arteriovenous fistula (Colbeck and Shaw), 270
artery disease, value of anoxemia test for diagnosis of (Stewart and Carr), 307
left, in dog, patterns of anterior descending branch of (Craig and Learned), 455
ligation, epicardial leads after (Rakita et al.), 359
intramural and cavity leads after (Rakita et al.), 360
occlusion, acute, early changes in RS-T segment and QRS complex following: experimental study and clinical applications (XII); studies on mechanism of ventricular activity (Rakita et al.), 351

Coronary—Cont'd
insufficiency, methods, other than anoxemia test, for detection of (Stewart and Carr), 314
C-reactive protein determination as measure of rheumatic activity (Shackman et al.), 599
Cusp, anterior, aortic regurgitation, unusual musical murmurs of (Stembridge et al.), 163
Cyanosis, central, diagnostic importance of blood carbon dioxide content of patients with (Platts and Whitaker), 77

D

Dextrocardia and situs inversus, posterior ventricular aneurysm in patient with (Walker and Richmond), 275
Dibenzyline, blood pressure and renal hemodynamic responses to Aramine and alterations of responses by adrenergic blockade with (Moyer and Handley), 173
Digitalis, 1 to 1 conduction during treatment with quinidine and: atrial flutter (London and Howell), 152
Displacement, velocity, and acceleration ballistocardiograph, studies with, in aortic insufficiency (Smith et al.), 847
Dissociation with double interference (Zuidema), 475
Diuretic effectiveness, comparative, of mercumatilin and meralluride with and without concomitant administration of ammonium chloride (Batterman), 780
Dog, patterns of anterior descending branch of left coronary artery in (Craig and Learned), 455
spread of activation in left ventricular wall of (Durrer et al.), 13
Drugs, use of anoxemia test in evaluation of effects of (Stewart and Carr), 315

E

Ectopic cardiac rhythms, experimental (Scherf et al.), 573
Effusion, pericardial, pathologic physiology and diagnostic significance of pressure pulse tracings in heart in patients with constrictive pericarditis and (Wilson et al.), 671
pleural, recurring, massive left atrial thrombosis and (Dorney and Cabaud), 459
Einführung in die Vektorielle Deutung des EKG, 642 (B. Rev.)
EKG, Einführung in Vektorielle Deutung des, 642 (B. Rev.)
Electrical axis, mathematical method to determine magnitude of (Ayala y de Landero), 894
system, human heart-body, equivalent circuit for (Frank), 738
Electrocardiogram, abnormal, pheochromocytoma and (Sayer et al.), 42
normal and abnormal changes in, with anoxia (Stewart and Carr), 296
Electrocardiograms, extremity, new instrument for multiaxial registration of (I); axostat (Brody et al.), 589
Electrocardiographic changes during anoxemia test and anginal pain, relation between (Stewart and Carr), 306
occurring during anoxemia test in patients with heart disease and in patients with diseases other than coronary artery disease (Stewart and Carr), 304
findings: aortic stenosis (Mitchell et al.), 699
Electrocardiography, practical, 162 (B. Rev.)
Electrodes, needle, experiments with; activation in ventricular wall of dog (Durrer et al.), 22
Electrokymogram, aortic, in normal subjects and patients with syphilitic aortic insufficiency (Brandfonbrener and Eisenberg), 54
Electrolytes, excretion of water and, effect of blood pressure reduction with Arfonad on renal hemodynamics and (Moyer et al.), 817
Electrophoresis in rheumatic fever, evaluation of (Kroop et al.), 612
Elektrische Herzbild, 641 (B. Rev.)
Embolism, arterial, late, mitral commissurotomy followed by (Grossman et al.), 471
Endocarditis, enterococcal, of prolonged duration, cure of (Krapin), 792
Enterococcal endocarditis of prolonged duration, cure of (Krapin), 792
Equivalent circuit for human heart-body electrical system (Frank), 738
Ethaverine, studies on use of, in treatment of angina pectoris (Simon et al.), 624
Extremity electrocardiograms, new instrument for multiaxial registration of (I); axostat (Brody et al.), 589

F

Familial xanthomatosis and hypercholesteremia, observations on calcific aortic stenosis in; calcific aortic stenosis: study of serum cholesterol (Boas et al.), 485
Fibrillary process in man, transient ventricular fibrillation (Schwartz and Hallinger), 397
Fibrillation, ventricular, transient (Schwartz and Hallinger), 390
Fistula, arteriovenous, coronary aneurysm with (Colbeck and Shaw), 270
subclavian, congenital, and truncus brachiocephalicus totalis in same patient (Peräsalo and Kyllönen), 465
Flarimeter tests on athletes (Wells), 914
abdominal contraction (Wells), 917
correlation with physical condition (Wells), 925
flow index (Wells), 919
responses to standard stimulus (Wells), 917
standard technique for (Wells), 915

Flutter, atrial: 1 to 1 conduction during treatment with quinidine and digitalis (London and Howell), 152
auricular, associated with complete heart block (Korst and Wasserburger), 383
association of Wenckebach phenomenon with (Brotmacher), 629
with bundle branch block, intravenous procaine amide as aid to differentiate, from paroxysmal ventricular tachycardia (Bernstein et al.), 82

G

Gehirn, Kreislauf and: Tagung. Hauptthema; Verhandlungen der Deutschen Gesellschaft für Kreislaufforschung, 482 (B. Rev.)
Glucose, influence of rapid infusion of, on renal dynamics and sodium excretion in patients with arterial hypertension (Ek et al.), 102

H

H wave, relationship of, in headward-footward axis to motion of body in lateral and anteroposterior axes (Table I) (Tannenbaum et al.), 568
Heart block, complete, auricular flutter associated with (Korst and Wasserburger), 383
disease, electrocardiographic changes occurring during anoxemia test in patients with; and in patients with diseases other than coronary artery disease (Stewart and Carr), 304
in India (Vakil), 439
chronic cor pulmonale (Vakil), 447
coronary heart disease (Vakil), 446
hypertensive heart disease (Vakil), 445
rheumatic group (Vakil), 442
syphilitic heart disease (Vakil), 444
organic, portal venous pressure in (Wren), 929
rheumatic, idiopathic myocardial hypertrophy simulating (Levin and Cohen), 637
diseases, uncommon, 800 (B. Rev.)
failure, congestive, chronic; hepatojugular reflex test (Burch and Ray), 377
mechanism of hepatojugular reflux test in (Burch and Ray), 373
pathologic physiology and diagnostic significance of pressure pulse tracings in, in patients with constrictive pericarditis and pericardial effusion (Wilson et al.), 671
vector, potential distribution on body surface caused by (Burger et al.), 249
Heart-body human electrical system, equivalent circuit for (Frank), 738
Hemodynamic responses, renal, to Aramine, blood pressure and, and alterations of responses by adrenergic blockade with Dibenzyline (Moyer and Handley), 173
Hemodynamics, renal, and excretion of water and electrolytes, effect of blood pressure reduction with Arfonad on (Moyer et al.), 817
Hepatic region of abdomen, effect of pressure over, upon venous pressure (Burch and Ray), 376
Hepatojuglar reflux test, mechanism of, in congestive heart failure (Burch and Ray), 373
Herzbild, Elektrische, 641 (B. Rev.)
Hesperidin, phosphorylated, effect of, on experimental atherosclerosis (Moses), 264
1-Hydrazinophthalazine (Apresoline), renal and hypotensive effects of acute and chronic oral treatment with, in hypertension (VanderKolk et al.), 95
Hypercholesteremia, observations on calcific aortic stenosis in familial xanthomatosis and; calcific aortic stenosis: study of serum cholesterol (Boas et al.), 485
Hypertension, arterial, influence of rapid infusion of glucose on renal dynamics and sodium excretion in patients with (Ek et al.), 102
pulmonary, studies of, V (Yu et al.), 544
renal and hypotensive effects of acute and chronic oral treatment with 1-Hydrazinophthalazine (Apresoline) in (VanderKolk et al.), 95
Hypertensive emergencies, treatment of: use of Veriloid-in-Oil intramuscularly (Ford et al.), 123
patients, clinical study of effects of intravenous reserpine (Serpasil) in (Tuchman et al.), 449
treated with potassium thiocyanate, observations on thyroid function in (Beamish et al.), 433
Hypertrophy, myocardial, idiopathic, simulating rheumatic heart disease (Levin and Cohen), 637
Hypotensive, renal and, effects of acute and chronic oral treatment with 1-Hydrazinophthalazine (Apresoline) in hypertension (VanderKolk et al.), 95

I

I wave, relationship of, in headward-footward axis to motion of body in lateral and anteroposterior axes (Table II) (Tannenbaum et al.), 569
Image surface, examples of use of (Burger et al.), 256
geometrical representation by means of (Burger et al.), 250
India, heart disease in (Vakil), 439
Infant of three months, isolated mitral stenosis in: report of case treated surgically (Maxwell and Young), 787
Insufficiency, aortic, studies with displacement, velocity, and acceleration ballistocardiograph in (Smith et al.), 847
syphilitic, aortic electrokymogram in normal subjects and patients with (Brandfonbrener and Eisenberg), 54

Insufficiency—Cont'd
mitral, dynamics of (Rodbard and Williams), 521
Interatrial shunt, isolated valvular stenosis and valvular stenosis associated with; pulmonary valvular stenosis with intact ventricular septum (Sobin et al.), 416
Interventricular septum, perforation of (Goetz and Gropper), 130
Intracardiac left-to-right shunt with pulmonic stenosis (Rudolph et al.), 808
Isopropylnorepinephrine, control of certain cardiac arrhythmias with (Schumacher and Schmock), 933

J

J wave, relationship of, in headward-footward axis to motion of body in lateral and anteroposterior axes (Table III) (Tannenbaum et al.), 570

K

K wave, relationship of, in headward-footward axis to motion of body in lateral and anteroposterior axes (Table IV) (Tannenbaum et al.), 570
Kreislauf and Gehirn; Tagung Hauptthema. Verhandlungen der Deutschen Gesellschaft für Kreislaufforschung, 482 (B. Rev.)
Kreislaufs, Regulationsprufüng des, 799 (B. Rev.)

L

L wave, relationship of, in headward-footward axis to motion of body in lateral and anteroposterior axes (Table V) (Tannenbaum et al.), 571
Lead vectors and Burger triangle, meaning of (Brody), 730
−VR and rational arrangement of limb leads; unipolar value of standard limb leads (Fumagalli), 204
Leads, chest, CF and V, vector and algebraic relationship of (Douglas and Cohen), 340
epicardial, after coronary artery ligation (Rakita et al.), 359
intramural and cavity, after coronary artery ligation (Rakita et al.), 360
limb, quantitative estimation of ventricular strain in (Gross), 881
standard, unipolar value of: Lead −VR and rational arrangement of limb leads (Fumagalli), 204
unipolar, errors in, caused by unbalanced skin resistances, and device for elimination (Schwarzschild et al.), 235
precordial, right, elevation of RS-T segment, apparent or real, in, as probable normal variant (Edeiken), 331
transmural; activation in ventricular wall of dog (Durrer et al.), 15
Limb leads, quantitative estimation of ventricular strain in (Gross), 881
standard, unipolar value of: Lead −VR and rational arrangement of limb leads (Fumagalli), 204
unipolar, errors in, caused by unbalanced skin resistances, and device for elimination (Schwarzschild et al.), 235
Lipotropic therapy, changes in serum cholesterol concentrations (mg. per cent) during, in subjects showing clinical improvement (Table I) (Goulder et al.), 908
lipid phosphorus concentrations (mg. per cent) during, in subjects showing clinical improvement (Table II) (Goulder et al), 909
serum phospholipid ratio (per cent) during, in subjects showing clinical improvement (Table III) (Goulder et al.), 909
provocative aspects of, in angina pectoris (Goulder et al.), 906
Lung and atrial appendages, biopsies of, in mitral stenosis: correlation of data from cardiac catheterization with pulmonary vascular lesions (Denst et al.), 506
pulmonary artery enlargement simulating neoplasm of (Talbot and Silverman), 146

M

Meralluride, comparative diuretic effectiveness of mercumatilin and, with and without concomitant administration of ammonium chloride (Batterman), 780
Mercumatilin and meralluride, comparative diuretic effectiveness of, with and without concomitant administration of ammonium chloride (Batterman), 780
Mitral and tricuspid valvotomy for mitral and tricuspid stenosis (Chesterman and Whitaker), 631
commissurotomy followed by late arterial embolism (Grossman et al.), 471
insufficiency, dynamics of (Rodbard and Williams), 521
stenosis, biopsies of lung and atrial appendages in: correlation of data from cardiac catheterization with pulmonary vascular lesions (Denst et al.), 506
experimental, cardiac and pulmonary artery pressure pulses in (Lasser and Loewe), 801
isolated, in infant of three months: report of case treated surgically (Maxwell and Young), 787
pulmonary blood distribution and oxygen diffusion in (Fowler et al.), 1
simultaneous pressure measurements in left ventricle and brachial artery in; simultaneous catheterization of left and right side of heart (Table I) (Björk et al.), 199

Mitral and tricuspid—Cont'd
surgery, psychological observations of patients undergoing (Fox et al.), 645
valve annulus, calcification of, and its relation to functional valvular disturbance (Simon and Liu), 497
Murmurs, musical, unusual, of anterior cusp aortic regurgitation (Stembridge et al.), 163
Myocardial hypertrophy, idiopathic, simulating rheumatic heart disease (Levin and Cohen), 637
Myocarditis, acute, sonvelographic recording of murmurs during (Rushmer et al.), 835

N

Needle electrodes, experiments with; activation in ventricular wall of dog (Durrer et al.), 22
Neoplasm of lung, pulmonary artery enlargement simulating (Talbot and Silverman), 146
Nervous patient, accelerated auriculoventricular nodal conduction as transitory phenomenon in (Vakil), 157
Nodal conduction, auriculoventricular, accelerated, as transitory phenomenon in nervous patient (Vakil), 157
Node, sinuatrial, in rat (King), 785
Norepinephrine, effect of, on water and electrolyte excretion in patients previously made hypotensive with Arfonad (Table IV) (Moyer et al.), 823

O

Occlusion, coronary, artery, acute, early changes in RS-T segment and QRS complex following experimental study and clinical applications (XII); studies on mechanism of ventricular activity (Rakita et al.), 351
Output, cardiac, rapid blood sample collector for use in determination of (Rothe and Sapirstein), 141
Oximeter, direct-writing (Sekelj), 757
Oximetry, further studies on (Sekelj), 746
Oxygen diffusion, pulmonary blood distribution and, in mitral stenosis (Fowler et al.), 1
saturation, arterial, prevailing during anoxemia tests (Stewart and Carr), 302
tension, comparison of, in blood from left atrium and systemic artery (Björk et al.), 8

P

P loop of spatial vectorcardiogram, studies of: normal P loop (Fowler and Dorney), 36
Patent ductus arteriosus with marked pulmonary hypertension (V); studies of pulmonary hypertension (Yu et al.), 544
Pericardial effusion, pathologic physiology and diagnostic significance of pressure pulse tracings in heart in patients with constrictive pericarditis and (Wilson et al.), 671
right heart catheterization data from 10 patients with constrictive pericarditis and 3 patients with (Table I) (Wilson et al.), 672
Pericarditis, constrictive, and pericardial effusion, pathologic physiology and diagnostic significance of pressure pulse tracings in patients with (Wilson et al.), 671
right heart catheterization data from 10 patients with, and 3 patients with preicardial effusion (Table I) (Wilson et al.), 672
Pheochromocytoma and abnormal electrocardiogram (Sayer et al.), 42
Phonocardiography, clinical calibration in (Luisada and Gamna), 826
Phosphorylated hesperidin, effect of, on experimental atherosclerosis (Moses), 264
Pleural effusion, recurring, massive left atrial thrombosis and (Dorney and Cabaud), 459
Postfibrillary period, transient ventricular fibrillation (Schwartz and Hallinger), 401
Potassium thiocyanate, observations on thyroid function in hypertensive patients treated with (Beamish et al.), 433
Potential distribution of dipole parallel to axis of infinite cylinder (Burger et al.), 261
perpendicular to axis of infinite cylinder Burger et al.), 262
on body surface caused by heart vector (Burger et al.), 249
on closed (finite) cylinder (Burger et al.), 253
on open (infinite) cylinder (Burger et al.), 250
on two parallel planes (Burger et al.), 256
Potentials of dipoles in finite cylinder: method of electrical images (Burger et al.), 262
Precordial leads, right, elevation of RS-T segment, apparent or real in, as probable normal variant (Edeiken), 331
Prefibrillary period, transient ventricular fibrillation (Schwartz and Hallinger), 392
Pressure, blood, reduction with Arfonad, effect of, on renal hemodynamics and excretion of water and electrolytes (Moyer et al.), 817
pulse tracings, pathologic physiology and diagnostic significance of, in heart in patients with constrictive pericarditis and pericardial effusion (Wilson et al.), 671
pulses, cardiac and pulmonary artery, in experimental mitral stenosis (Lasser and Loewe), 801

Pressure—Cont'd
venous, effect of pressure over hepatic region of abdomen upon (Burch and Ray), 376
portal, in organic heart disease (Wren), 929
ventricular, left, measurement in man (Björk et al.), 197
Pressures, pulse, arterial, peripheral, observations on, in course of transient ventricular fibrillation during established auriculoventricular dissociation (VI); transient ventricular fibrillation (Schwartz and Hallinger), 390
Procaine amide, intravenous, as aid to differentiate auricular flutter with bundle branch block from paroxysmal ventricular tachycardia (Bernstein et al.), 82
in treatment of cardiac arrhythmias (Pascale et al.), 110
Protein, C-reactive, determination as measure of rheumatic activity (Shackman et al.), 599
Protoveratrine, prolonged depression of atrioventricular conduction caused by large dosages of (Black and Lyons), 266
Psychological observations of patients undergoing mitral surgery (Fox et al.), 645
Pulmonary artery enlargement simulating neoplasm of lung (Talbot and Silverman), 146
right main, superior vena cava obstruction with complete obstruction of (Briggs et al.), 288
blood distribution and oxygen diffusion in mitral stenosis (Fowler et al.), 1
cardiac and, artery pressure pulses in experimental mitral stenosis (Lasser and Loewe), 801
hypertension, studies of. V (Yu et al.), 544
valvular stenosis, consideration of specific findings in (Sobin et al.), 428
with intact ventricular septum: isolated valvular stenosis and valvular stenosis associated with interatrial shunt (Sobin et al.), 416
vascular lesions, correlation of data from cardiac catheterization with; biopsies of lung and atrial appendages in mitral stenosis (Denst et al.), 506
Pulmonic stenosis, intracardiac left-to-right shunt with (Rudolph et al.), 808
Pulse, pressure, tracings, pathologic physiology and diagnostic significance of, in heart in patients with constrictive pericarditis and pericardial effusion (Wilson et al.), 671
pressures, arterial, peripheral, observations on, in course of transient ventricular fibrillation during established auriculoventricular dissociation (VI); transient ventricular fibrillation (Schwartz and Hallinger), 390
Pulses, pressure, cardiac and pulmonary artery, in experimental mitral stenosis (Lasser and Loewe), 801

Q

QRS and T vectors, mean, direction of (Helm), 224
complex, early changes in RS-T segment and, following acute coronary artery occlusion: experimental study and clinical applications (XII); studies on mechanism of ventricular activity (Rakita et al.), 351
QRS-wave changes (Rakita et al.), 369
Q-T interval, changes in, during anoxemia test (Stewart and Carr), 301
Quinidine and digitalis, 1 to 1 conduction during treatment with: atrial flutter (London and Howell), 152

R

Rat, sinuatrial node in (King), 785
Regurgitation, aortic, anterior cusp, unusual musical murmurs of (Stembridge et al.), 163
Renal and hypotensive effects of acute and chronic oral treatment with 1-Hydrazinophthalazine (Apresoline) in hypertension (VanderKolk et al.), 95
dynamics and sodium excretion, influence of rapid infusion of glucose on, in patients with arterial hypertension (Ek et al.), 102
hemodynamic response to norepinephrine when blood pressure was previously reduced with Arfonad (Table III) (Moyer et al.), 822
hemodynamics and excretion of water and electrolytes, effect of blood pressure reduction with Arfonad on (Moyer et al.), 817
responses to Aramine, blood pressure and, and alterations of responses by adrenergic blockade with Dibenzyline (Moyer and Handley), 173
Reserpine (Serpasil), intravenous, clinical study of effects of, in hypertensive patients (Tuchman et al.), 449
Resuscitation, cardiac, manual on, 162 (B. Rev.)
Rheumatic activity, C-reactive protein determination as measure of (Shackman et al.), 599
fever, evaluation of electrophoresis in (Kroop et al.), 612
past history of: aortic stenosis (Mitchell et al.), 688
heart disease, idiopathic myocardial hypertrophy simulating (Levin and Cohen), 637
Rhythms, cardiac, ectopic, experimental (Scherf et al.), 573
Roentgenographic and post-mortem calcification of aorta, study of correlation between (Hyman and Epstein), 540

RS-T segment and QRS complex, early changes in, following acute coronary artery occlusion: experimental study and clinical applications (XII); studies on the mechanism of ventricular activity (Rakita et al.), 351
elevation of, apparent or real, in right precordial leads as probable normal variant (Edeiken), 331

S

Septal defect, auricular, pulmonic stenosis, and combined lesions, diagnosis of (Table I) (Rudolph et al.), 811
ventricular, pulmonic stenosis, and combined lesions, diagnosis of (Table II) (Rudolph et al.), 811
Septum, aortic, defect (Sprengel and Brown), 796
interventricular, perforation of (Goetz and Gropper), 130
ventricular, intact, pulmonary valvular stenosis with: isolated valvular stenosis and valvular stenosis associated with interatrial shunt (Sobin et al.), 416
Serum cholesterol, study of; calcific aortic stenosis (Boas et al.), 485
Shunt, interatrial, isolated valvular stenosis and valvular stenosis associated with; pulmonary valvular stenosis with intact ventricular septum (Sobin et al.), 416
left-to-right, intracardiac, with pulmonic stenosis (Rudolph et al.), 808
Sinuatrial node in rat (King), 785
Situs inversus, posterior ventricular aneurysm in patient with dextrocardia and (Walker and Richmond), 275
Size, body, age, and body composition, factors affecting low-frequency, critically-damped ballistocardiogram with special reference to (Taylor et al.), 864
Skin resistances, unbalanced, errors in unipolar limb leads caused by, and device for elimination (Schwarzschild et al.), 235
Smokers, male, healthy and habitual, immediate effect of cigarettes on circulation of (Simon et al.), 185
Sodium excretion, influence of rapid infusion of glucose on renal dynamics and, in patients with arterial hypertension (Ek et al.), 102
Sonvelographic recording of murmurs during acute myocarditis (Rushmer et al.), 835
Spatial vectorballistocardiogram (Tannenbaum et al.), 562
vectorcardiogram, studies of P loop of: normal P loop (Fowler and Dorney), 36
S-T segment displacement (Rakita et al.), 362
Stenosis, aortic, calcific: study of serum cholesterol (Boas et al.), 485
clinical features of (Mitchell et al.), 684
Stenosis—Cont'd
mitral and tricuspid, mitral and tricuspid valvotomy for (Chesterman and Whitaker), 631
biopsies of lung and atrial appendages in: correlation of data from cardiac catheterization with pulmonary vascular lesions (Denst et al.), 506
experimental, cardiac and pulmonary artery pressure pulses in (Lasser and Loewe), 801
isolated, in infant of three months: report of case treated surgically (Maxwell and Young), 787
pulmonary blood distribution and oxygen diffusion in (Fowler et al.), 1
pulmonic, intracardiac left-to-right shunt with (Rudolph et al.), 808
tricuspid: clinical and physiologic evaluation (McCord et al.), 405
valvular, pulmonary, with intact ventricular septum: isolated valvular stenosis and valvular stenosis associated with interatrial shunt (Sobin et al.), 416
Strain, ventricular, in limb leads, quantitative estimation of (Gross), 881
Surgery, mitral, psychological observations of patients undergoing (Fox et al.), 645
Syphilitic aortic insufficiency, aortic electrokymogram in normal subjects and patients with (Brandfonbrener and Eisenberg), 54

T

T, QRS and, vectors, mean, direction of (Helm), 224
Tachycardia, auricular, with Wenckebach phenomenon occurring during course of cardiac catheterization (Kuhn et al.), 280
ventricular, paroxysmal, intravenous procaine amide as aid to differentiate auricular flutter with bundle branch block from (Bernstein et al.), 82
Tachycardias, supraventricular, paroxysmal, effect of intravenously administered procaine amide on (Table I) (Pascale et al.), 112
Tamponade, cardiac, acute, pathologic physiology of, studied by means of ventricular function curves (III); ventricular function (Isaacs et al.), 66
Thoracic ballistocardiography (Edson et al.), 897
Thrombosis, atrial, left, massive, and recurring pleural effusion (Dorney and Cabaud), 459
Thyroid function, observations on, in hypertensive patients treated with potassium thiocyanate (Beamish et al.), 433
Triangle, Burger, meaning of lead vectors and (Brody), 730

Tricuspid, mitral and, valvotomy for mitral and tricuspid stenosis (Chesterman and Whitaker), 631
stenosis: clinical and physiologic evaluation (McCord et al.), 405
Triethanolamine trinitrate, action of, in angina pectoris (Friend et al.), 775
Truncus brachiocephalicus totalis, congenital subclavian arteriovenous fistula and, in same patient (Peräsalo and Kyllönen), 465
T-wave changes, relationship of Adrenalin and, in anxiety state (Mitchell and Shapiro), 323
inversion, massive (Ippolito et al.), 88

U

Unipolar limb leads, errors in, caused by unbalanced skin resistances, and device for elimination (Schwarzschild et al.), 235
value of standard limb leads: Lead −VR and rational arrangement of limb leads (Fumagalli), 204

V

V, CF and, chest leads, vector and algebraic relationship of (Douglas and Cohen), 340
Valvotomy, mitral and tricuspid, for mitral and tricuspid stenosis (Chesterman and Whitaker), 631
Valvular disturbance, functional, calcification of mitral valve annulus and its relation to (Simon and Liu), 497
stenosis, pulmonary, consideration of specific findings in (Sobin et al.), 428
with atrial septal defect or patent foramen ovale (Table II) (Sobin et al.), 424
with intact ventricular septum: isolated valvular stenosis and valvular stenosis associated with interatrial shunt (Sobin et al.), 416
Vascular lesions, pulmonary, correlation of data from cardiac catheterization with; biopsies of lung and atrial appendages in mitral stenosis (Denst et al.), 506
Vector and algebraic relationship of CF and V chest leads (Douglas and Cohen), 340
heart, potential distribution on body surface caused by (Burger et al.), 249
Vectorballistocardiogram, spatial (Tannenbaum et al.), 562
Vectorcardiogram, spatial, studies of P loop of: normal P loop (Fowler and Dorney), 36
Vectors, lead, and Burger triangle, meaning of (Brody), 730
Vektorielle Duetung des EKG, Einfuhrung in, 642 (B. Rev.)
Velocity, displacement, and acceleration ballistocardiograph, studies with, in aortic insufficiency (Smith et al.), 847
Vena cava, superior, obstruction with complete obstruction of right main pulmonary artery (Briggs et al.), 288
Venous hypertensive states; hepatojugular reflux test (Burch and Ray), 378
pressure, effect of pressure over hepatic region of abdomen upon (Burch and Ray), 376
portal, in organic heart disease (Wren), 929
Ventricular activity, studies on mechanism of. XII. Early changes in RS-T segment and QRS complex following acute coronary artery occlusion: experimental study and clinical applications (Rakita et al.), 351
aneurysm, posterior, in patient with dextrocardia and situs inversus (Walker and Richmond), 275
fibrillation, transient (Schwartz and Hallinger), 390
postfibrillary period (Schwartz and Hallinger), 401
prefibrillary period (Schwartz and Hallinger), 392
function (Isaacs et al.), 66
pressure measurement, left, in man (Björk et al.), 197
septum, intact, pulmonary valvular stenosis with: isolated valvular stenosis and valvular stenosis associated with interatrial shunt (Sobin et al.), 416
strain in limb leads, quantitative estimation of (Gross), 881
left (Table I) (Gross), 884
right (Table II) (Gross), 886
tachycardia, paroxysmal, effect of intravenously administered procaine amide on (Table III) (Pascale et al.), 116
intravenous procaine amide as aid to differentiate auricular flutter with bundle branch block from (Bernstein et al.), 82
wall, left, of dog, spread of activation in. III (Durrer et al.), 13
Veriloid-in-Oil, use of, intramuscularly; treatment of hypertensive emergencies (Ford et al.), 123

W

Water and electrolytes, excretion of, effect of blood pressure reduction with Arfonad on renal hemodynamics and (Moyer et al.), 817
Wenckebach phenomenon, association of, with auricular flutter (Brotmacher), 629
auricular tachycardia with, occurring during course of cardiac catheterization (Kuhn et al.), 280